



Large inventory of tips
held in stock



Special **OPTIMAXX** surface
treatment for excellent
binding strength



Extra high strength
brazing alloy



Premium carbide for
ultimate cutting life

CENTRAL SAWS **TUNGSTEN SAW TIPS**






Large inventory of tips held in stock

Special **OPTIMAXX** surface treatment for excellent binding strength

Extra high strength brazing alloy

Premium carbide for ultimate cutting life



TIP GRADE CHART

- Excellent
- Good
- Okay

| Opteco Grade | Hardwood | Pine | Burnt Timber | Metal | Aluminum | Chipboard | Laminate | Recycled Timber |
|--------------|----------|------|--------------|-------|----------|-----------|----------|-----------------|
| M2 | ● | ● | ● | | ● | ● | ● | |
| M9 | ● | ○ | ○ | | | | | ● |
| F6 | ● | ● | | | ● | ● | ● | |
| MC | ● | ● | ● | ● | ● | | | ● |
| Stellite | ● | ○ | | | | | | |

SAW TIPS

| Part No. | Finish | Metric | | | Imperial | | | Grade | Pack Qty |
|-----------|--------|--------|-----------|-------|----------|-----------|-------|-------|----------|
| | | Length | Thickness | Width | Length | Thickness | Width | | |
| E521828MC | ST | 5.2 | 1.8 | 2.8 | 0.205 | 0.071 | 0.110 | MC | 125 |
| E652030F6 | ST | 6.5 | 2.0 | 3.0 | 0.256 | 0.079 | 0.118 | F6 | 125 |
| E652040F6 | ST | 6.5 | 2.0 | 4.0 | 0.256 | 0.079 | 0.157 | F6 | 125 |
| E652050MC | ST | 6.5 | 2.0 | 5.0 | 0.256 | 0.079 | 0.197 | MC | 125 |
| E802336F6 | ST | 8.0 | 2.3 | 3.6 | 0.315 | 0.091 | 0.142 | F6 | 250 |
| E802340F6 | ST | 8.0 | 2.3 | 4.0 | 0.315 | 0.091 | 0.157 | F6 | 250 |
| E802348F6 | ST | 8.0 | 2.3 | 4.8 | 0.315 | 0.091 | 0.189 | F6 | 250 |
| E802354F6 | ST | 8.0 | 2.3 | 5.4 | 0.315 | 0.091 | 0.213 | F6 | 250 |
| E802362F6 | ST | 8.0 | 2.3 | 6.2 | 0.315 | 0.091 | 0.244 | F6 | 250 |

| Part No. | Finish | Metric | | | Imperial | | | Grade | Pack Qty |
|----------------|--------|--------|-----------|-------|----------|-----------|-------|----------|----------|
| | | Length | Thickness | Width | Length | Thickness | Width | | |
| E1052540F6 | ST | 10.5 | 2.5 | 4.0 | 0.413 | 0.098 | 0.157 | F6 | 250 |
| E1052540M2 | ST | 10.5 | 2.5 | 4.0 | 0.413 | 0.098 | 0.157 | M2 | 250 |
| E1052548F6 | ST | 10.5 | 2.5 | 4.8 | 0.413 | 0.098 | 0.189 | F6 | 250 |
| E1052554F6 | ST | 10.5 | 2.5 | 5.4 | 0.413 | 0.098 | 0.213 | F6 | 250 |
| E1052554M2 | ST | 10.5 | 2.5 | 5.4 | 0.413 | 0.098 | 0.213 | M2 | 250 |
| E1052566F6 | ST | 10.5 | 2.5 | 6.6 | 0.413 | 0.098 | 0.260 | F6 | 250 |
| E1052566M2 | ST | 10.5 | 2.5 | 6.6 | 0.413 | 0.098 | 0.260 | M2 | 250 |
| E1053036F6 | ST | 10.5 | 3.0 | 3.6 | 0.413 | 0.118 | 0.142 | F6 | 250 |
| E1053046M2 | ST | 10.5 | 3.0 | 4.6 | 0.413 | 0.118 | 0.189 | M2 | 250 |
| E1053048F6 | ST | 10.5 | 3.0 | 4.8 | 0.413 | 0.118 | 0.200 | F6 | 250 |
| E1053051M2 | ST | 10.5 | 3.0 | 5.1 | 0.413 | 0.118 | 0.200 | M2 | 250 |
| E1053056F6 | ST | 10.5 | 3.0 | 5.6 | 0.413 | 0.118 | 0.220 | F6 | 250 |
| E1053056M2 | ST | 10.5 | 3.0 | 5.6 | 0.413 | 0.118 | 0.220 | M2 | 250 |
| E1053064F6 | ST | 10.5 | 3.0 | 6.4 | 0.413 | 0.118 | 0.252 | F6 | 250 |
| E1053064M2 | ST | 10.5 | 3.0 | 6.4 | 0.413 | 0.118 | 0.252 | M2 | 250 |
| E1053079F6 | ST | 10.5 | 3.0 | 7.9 | 0.413 | 0.118 | 0.311 | F6 | 250 |
| E1053079M2 | ST | 10.5 | 3.0 | 7.9 | 0.413 | 0.118 | 0.311 | M2 | 250 |
| E133236M9S | PS | 13.0 | 3.2 | 3.6 | 0.512 | 0.126 | 0.142 | M9 | 250 |
| E133241M2S | PS | 13.0 | 3.2 | 4.1 | 0.512 | 0.126 | 0.161 | M2 | 250 |
| E133241M9 | ST | 13.0 | 3.2 | 4.1 | 0.512 | 0.126 | 0.161 | M9 | 250 |
| E133241M9S | PS | 13.0 | 3.2 | 4.1 | 0.512 | 0.126 | 0.161 | M9 | 250 |
| E133246M9 | ST | 13.0 | 3.2 | 4.6 | 0.512 | 0.126 | 0.181 | M9 | 250 |
| E133246M9S | PS | 13.0 | 3.2 | 4.6 | 0.512 | 0.126 | 0.181 | M9 | 250 |
| E133246S | ST | 13.0 | 3.2 | 4.6 | 0.512 | 0.126 | 0.181 | Stellite | 250 |
| E133246SPS | ST | 13.0 | 3.2 | 4.6 | 0.512 | 0.126 | 0.181 | Stellite | 250 |
| E133251M9S | PS | 13.0 | 3.2 | 5.1 | 0.512 | 0.126 | 0.201 | M9 | 250 |
| E133256M2 | ST | 13.0 | 3.2 | 5.6 | 0.512 | 0.126 | 0.220 | M2 | 250 |
| E133256M2S | PS | 13.0 | 3.2 | 5.6 | 0.512 | 0.126 | 0.220 | M2 | 250 |
| E133256M9S | PS | 13.0 | 3.2 | 5.6 | 0.512 | 0.126 | 0.220 | M9 | 250 |
| E133256S | ST | 13.0 | 3.2 | 5.6 | 0.512 | 0.126 | 0.220 | Stellite | 250 |
| E133256SPS | PS | 13.0 | 3.2 | 5.6 | 0.512 | 0.126 | 0.220 | Stellite | 250 |
| E133261M9S | PS | 13.0 | 3.2 | 6.1 | 0.512 | 0.126 | 0.240 | M9 | 250 |
| E133266M9S | PS | 13.0 | 3.2 | 6.6 | 0.512 | 0.126 | 0.260 | M9 | 250 |
| E133271M9S | PS | 13.0 | 3.2 | 7.1 | 0.512 | 0.126 | 0.280 | M9 | 250 |
| E133274M9 | ST | 13.0 | 3.2 | 7.4 | 0.512 | 0.126 | 0.290 | M9 | 250 |
| E133276M9S | PS | 13.0 | 3.2 | 7.6 | 0.512 | 0.126 | 0.300 | M9 | 250 |
| E133279M9S | PS | 13.0 | 3.2 | 7.9 | 0.512 | 0.126 | 0.311 | M9 | 250 |
| E133284M9S | PS | 13.0 | 3.2 | 8.4 | 0.512 | 0.126 | 0.331 | M9 | 250 |
| E133295M9S | PS | 13.0 | 3.2 | 9.5 | 0.512 | 0.126 | 0.374 | M9 | 250 |
| E133211M9S | PS | 13.0 | 3.2 | 11.1 | 0.512 | 0.126 | 0.437 | M9 | 250 |
| E134054M9S | PS | 13.0 | 4.0 | 5.4 | 0.512 | 0.160 | 0.213 | M9 | 250 |
| E134061M9S | PS | 13.0 | 4.0 | 6.1 | 0.512 | 0.160 | 0.240 | M9 | 250 |
| E134066M9S | PS | 13.0 | 4.0 | 6.6 | 0.512 | 0.160 | 0.260 | M9 | 250 |
| E134071M9S | PS | 13.0 | 4.0 | 7.1 | 0.512 | 0.160 | 0.280 | M9 | 250 |
| E1423354-0-M9S | PS | 14.2 | 3.3 | 5.4 | 0.559 | 0.130 | 0.213 | M9 | 250 |
| E1423361-0-M9S | PS | 14.2 | 3.3 | 6.1 | 0.559 | 0.130 | 0.240 | M9 | 250 |
| E1423366-0-M9S | PS | 14.2 | 3.3 | 6.6 | 0.559 | 0.130 | 0.260 | M9 | 250 |
| E1423371-0-M9S | PS | 14.2 | 3.3 | 7.1 | 0.559 | 0.130 | 0.280 | M9 | 250 |
| E1423376-0-M9S | PS | 14.2 | 3.3 | 7.6 | 0.559 | 0.130 | 0.300 | M9 | 250 |
| E164066M9S | PS | 16.0 | 4.0 | 6.6 | 0.630 | 0.157 | 0.260 | M9 | 125 |
| E164071M9S | PS | 16.0 | 4.0 | 7.1 | 0.630 | 0.157 | 0.280 | M9 | 125 |
| E164076M9S | PS | 16.0 | 4.0 | 7.6 | 0.630 | 0.157 | 0.300 | M9 | 125 |
| E164081M9S | PS | 16.0 | 4.0 | 8.1 | 0.630 | 0.157 | 0.319 | M9 | 125 |
| E164086M9S | PS | 16.0 | 4.0 | 8.6 | 0.630 | 0.157 | 0.339 | M9 | 125 |
| E164091M9S | PS | 16.0 | 4.0 | 9.1 | 0.630 | 0.157 | 0.358 | M9 | 125 |
| E164096M9S | PS | 16.0 | 4.0 | 9.6 | 0.630 | 0.157 | 0.378 | M9 | 125 |
| E1640101M9S | PS | 16.0 | 4.0 | 10.1 | 0.630 | 0.157 | 0.398 | M9 | 125 |



STROBES

| Part No. | Finish | Metric | | | Imperial | | | Grade | Pack Qty |
|--------------|--------|--------|-----------|-------|----------|-----------|-------|-------|----------|
| | | Length | Thickness | Width | Length | Thickness | Width | | |
| RB302037M2S | PS | 30.0 | 2.0 | 3.7 | 1.181 | 0.079 | 0.146 | M2 | 1 |
| RB302045M2S | PS | 30.0 | 2.0 | 4.5 | 1.181 | 0.079 | 0.177 | M2 | 1 |
| RB402045M2S | PS | 40.0 | 2.0 | 4.5 | 1.575 | 0.079 | 0.177 | M2 | 1 |
| RB402060M2S | PS | 40.0 | 2.0 | 6.0 | 1.575 | 0.079 | 0.236 | M2 | 1 |
| RB502045M2S | PS | 50.0 | 2.0 | 4.5 | 1.969 | 0.079 | 0.177 | M2 | 1 |
| RBHSS502070 | ST | 50.0 | 2.0 | 7.0 | 1.969 | 0.079 | 0.276 | HSS | 1 |
| RB602045M2S | PS | 60.0 | 2.0 | 4.5 | 2.362 | 0.079 | 0.177 | M2 | 1 |
| RB602060M2S | PS | 60.0 | 2.0 | 6.0 | 2.362 | 0.079 | 0.236 | M2 | 1 |
| RB602060M2S | PS | 80.0 | 2.0 | 6.0 | 2.362 | 0.079 | 0.236 | M2 | 1 |
| RB1502380M2S | PS | 150.0 | 2.3 | 8.0 | 5.906 | 0.091 | 0.315 | M2 | 1 |
| RB3102045M2S | PS | 310.0 | 2.0 | 4.5 | 12.205 | 0.079 | 0.177 | M2 | 1 |

PS - Tips are pre tinned

ST - Tips are not tinned

NOTE - If none of the above sizes suit your application we will cut to length.

